

Answer Plot[®]

SOYBEAN YIELD REPORT 2024



10/4/2024 Location: Janesville-WI Trial: SPT-28
PLDATE: 5/15/2024 HDATE: 10/2/2024 Irrigation: NO

Variety	BU/ACRE Mn	Moisture	TWT	\$/Acre
P28A39E	78.2	11.6	55.3	782.21
AG26XF4	76.2	11.6	54.6	761.98
AG29XF5	72.6	11.9	55.9	725.98
CP2840XF	71.9	11.6	55.1	719.44
B263EE	71.5	11.9	54.1	714.73
NK27-W8XF	68.6	11.6	55.3	686.02
B272EE	68.2	11.5	55.4	682.12
NK30-A9E3	67.7	12.0	56.1	677.22
B264EE	66.6	11.7	55.8	665.85
A28E34	63.9	12.2	54.3	638.75
P29A19E	63.8	11.7	54.7	637.80
NK27-J5E3	62.8	11.7	54.0	627.80
NK29-Q3XF	62.5	11.6	54.0	625.36
CP2725E	62.2	11.5	54.2	622.22
XO2735E	62.0	12.4	54.6	620.46
CP2920E	61.7	12.1	54.7	617.00
P28A65E	60.5	11.4	54.6	605.44
XO2865E	60.3	12.3	54.0	603.05
XO2985E	60.3	13.9	57.9	603.47
B283EE	59.7	11.6	54.9	596.85
AG27XF3	56.8	11.9	54.5	568.28
Mn	66.9	11.8	54.7	668.80
CVErr	5.328	3.749	2.407	5.330
LSD(.10)	6.0	0.8	2.2	60.50
#Reps	2	2	2	2

\$/Acre Assumptions = \$10.00/Bushel Selling Price



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2024 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.

Answer Plot[®]

CORN YIELD REPORT 2024



10/4/2024

Location: Janesville-WI

Trial: CPT-100

PLDATE: 4/23/2024

HDATE:

Irrigation: NO

Hybrid	Yield	Moisture	TWT Mn	\$/Acre
B98Z37PCE	291.7	16.6	58.0	975.77
DKC103-47RIB	291.0	17.3	59.6	962.17
DKC102-13RIB	289.4	17.1	58.9	960.35
CP3852TRE/RIB	282.9	15.8	58.9	955.79
B01V22AM	289.9	17.8	57.4	952.01
CP4444VT2P/RIB	283.2	16.3	59.3	951.43
DKC103-07RIB	281.9	17.2	60.4	933.96
CP3724VT2P/RIB	277.7	16.2	59.0	932.32
DKC101-35RIB	280.0	16.9	57.5	931.77
B03H35AM	285.3	18.2	58.6	929.34
NK9805-DV	274.9	16.2	59.8	924.59
P9955Q	277.3	17.0	59.7	921.20
CP4083VT4P/RIB	273.6	16.3	59.0	918.23
CP4246SS/RIB	269.5	15.1	60.3	916.33
DKC102-28RIB	271.5	16.4	59.6	910.87
CP3980VT2P/RIB	269.1	15.8	60.1	907.87
CP4024SSPRO/RIB	269.8	16.8	58.9	898.95
CP3899VT2P/RIB	267.8	16.6	59.6	896.20
CP4188SS/RIB	262.5	15.7	58.8	885.95
B01X44V	264.2	16.5	60.1	884.06
CP4188VT2P/RIB	260.3	15.4	59.4	883.26
NK0367-AA	270.2	18.1	59.2	882.60
P97299Q	269.9	18.0	58.6	882.32
CP3790VT2P/RIB	256.9	15.5	59.1	870.01
NK0252-D	265.1	18.2	58.7	863.50
B99A24V	258.6	16.9	58.8	861.29
B00M18Q	257.5	17.8	58.7	845.72
DKC48-34RIB	251.4	16.3	59.9	844.41
NK0007-AA	247.7	16.6	59.8	828.61
NK0123-AA	249.4	18.1	59.0	814.15
NK0295-AA	227.0	17.1	59.8	752.83
Mn	271.0	16.8	59.0	902.52
LSD(.10)	18.9	0.8	0.6	64.09
#Reps	3	3	3	3
CVErr	5.137	3.600	0.770	5.226

\$/Acre Assumptions = \$3.40/Bushel Selling Price and \$0.05/Point of Moisture over 15.5%.

**WINFIELD
UNITED**

CROPLAN

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2024 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.

Answer Plot[®]

CORN YIELD REPORT 2024



10/4/2024

Location: Janesville-WI

Trial: CPT-105

PLDATE: 4/23/2024

HDATE:

Irrigation: NO

Hybrid	Yield	Moisture	TWT Mn	\$/Acre
DKC108-17RIB	304.3	20.1	56.5	960.36
B07H01AM	298.8	19.8	56.9	948.61
B08V35AM	302.2	20.9	55.7	939.58
B05D47V	290.6	18.8	57.4	938.85
P0720Q	304.4	22.0	55.9	927.90
B04J45PCE	289.6	19.6	56.6	921.69
NK0440-AT	290.9	20.4	56.3	912.01
P04922Q	284.0	19.2	58.0	910.21
CP4840TRE/RIB	286.1	19.9	57.5	906.34
DKC56-26RIB	280.3	18.9	57.2	904.11
CP4757VT2P/RIB	278.1	18.5	58.5	901.74
CP4770SS/RIB	284.0	20.0	56.7	898.35
CP4444VT2P/RIB	269.6	17.6	58.1	887.71
CP4676SS/RIB	280.5	20.4	56.4	879.82
DKC106-98RIB	275.9	19.6	57.8	878.16
P05466Q	277.6	20.0	57.5	877.39
CP4516TRE/RIB	270.9	18.9	56.9	872.29
B08R32AM	283.4	21.7	55.7	868.14
DKC105-35RIB	269.0	19.4	56.7	860.00
NK0880-V	279.2	22.1	55.5	850.45
DKC59-82RIB	262.3	20.0	57.2	829.31
CP4652SSPRO/RIB	259.6	19.8	57.0	822.53
NK0877-V	264.3	21.2	54.4	818.02
P05737AM	254.7	19.5	56.9	812.02
NK0922-V	262.4	21.4	55.3	809.80
NK0252-D	250.6	20.0	57.4	792.45
NK0123-AA	244.2	18.8	58.6	788.07
DKC104-08RIB	243.5	20.0	56.3	769.37
Mn	277.9	19.9	56.7	878.78
LSD(.10)	19.4	1.3	1.2	63.83
#Reps	3	3	3	3
CVErr	5.148	4.862	1.555	5.342

\$/Acre Assumptions = \$3.40/Bushel Selling Price and \$0.05/Point of Moisture over 15.5%.

**WINFIELD
UNITED**

CROPLAN

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2024 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.

Answer Plot[®]

CORN YIELD REPORT 2024



10/4/2024

Location: Janesville-WI

Trial: CPT-110

PLDATE: 4/23/2024

HDATE:

Irrigation: NO

Hybrid	Yield	Moisture	TWT Mn	\$/Acre
CP4839PCE/RA	328.5	21.4	54.7	1012.32
DKC110-41RIB	312.2	21.0	56.1	969.13
B10H24AM	299.6	21.2	56.4	926.49
B12H48PCE	300.7	22.8	54.3	901.65
B10A20AM	295.2	21.9	56.2	901.56
B09C43PCE	293.0	21.5	55.4	900.31
NK0880-V	296.4	22.8	54.4	887.36
CP5132SS/RIB	292.4	22.4	55.1	884.98
CP4930DGVT2P/RIB	276.6	19.4	57.4	883.76
CP4840TRE/RIB	279.4	20.4	56.3	877.52
NK1040-AA	290.9	22.7	54.2	875.21
P1170AM	284.4	21.6	57.0	873.44
DKC110-10RIB	271.9	19.9	58.7	860.04
NK1056-V	280.0	22.5	55.0	845.44
NK1307-DV	293.4	25.3	53.2	833.45
NK1228-AA	280.3	23.5	55.0	828.58
P08075Q	273.2	22.6	55.9	824.33
B11C37V	279.6	24.0	54.7	818.88
CP5073VT2P/RIB	271.1	22.5	54.5	816.94
CP5208VT2P/RIB	256.3	20.2	58.4	806.36
DKC108-64RIB	251.8	20.2	57.2	790.48
CP4917SSPRO/RIB	251.4	21.4	55.0	774.99
CP5115SS/RIB	258.2	23.1	56.7	769.40
CP5073SS/RIB	249.5	22.8	54.6	748.18

Mn	287.7	22.0	55.5	875.98
LSD(.10)	20.7	1.7	1.3	58.24
#Reps	3	3	3	3
CVErr	5.292	5.557	1.683	4.890

\$/Acre Assumptions = \$3.40/Bushel Selling Price and \$0.05/Point of Moisture over 15.5%.

**WINFIELD
UNITED**

CROPLAN

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2024 WinField United. Answer Plot[®], CROPLAN[®] and WinField[®] are trademarks of WinField United.

Answer Plot®

SOYBEAN YIELD REPORT 2024



10/4/2024 Location: Janesville-WI Trial: SPT-20
PLDATE: 5/15/2024 HDATE: 10/2/2024 Irrigation: NO

Variety	BU/ACRE Mn	Moisture	TWT	\$/Acre
CP1742XF	80.5	12.6	53.8	804.82
B194EE	79.8	12.0	53.5	798.43
CP1840XF	79.1	11.9	56.4	791.23
B202EE	78.5	12.2	55.4	784.79
B204EE	78.1	11.6	54.3	780.87
CP2020E	77.3	12.1	54.0	773.14
CP1721E	76.9	11.4	54.1	768.90
P18A73E	76.6	11.9	54.1	766.46
CP2054XF	75.1	12.1	56.1	751.01
CP2024E	74.2	12.3	54.2	741.82
NK21-C2E3	72.9	12.0	53.3	729.05
XO2305E	72.6	11.9	54.1	726.16
A21E34	72.2	12.1	54.0	722.31
CP1830E	71.8	12.1	54.6	717.74
AG19XF3	71.7	11.9	54.0	716.78
CP1825E	70.9	12.1	54.7	709.38
P21A53E	70.7	11.6	54.1	707.37
NK19-T8E3S	70.2	12.2	54.2	702.43
NK18-R4E3	69.6	12.4	53.9	695.53
AG22XF5	69.3	11.9	54.7	693.18
XO2181E	68.7	11.9	54.4	687.24
P19A66E	64.2	12.1	52.9	641.77
XO2444E	63.9	12.0	54.2	639.12
Mn	73.3	12.0	54.3	733.41
CVErr	3.231	1.807	0.814	3.230
LSD(.10)	4.0	0.4	0.7	40.20
#Reps	2	2	2	2

\$/Acre Assumptions = \$10.00/Bushel Selling Price

WINFIELD
UNITED

CROPLAN

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2024 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.

Answer Plot®

SOYBEAN YIELD REPORT 2024



10/4/2024 Location: Janesville-WI Trial: SPT-24
PLDATE: 5/15/2024 HDATE: 10/2/2024 Irrigation: NO

Variety	BU/ACRE Mn	Moisture	TWT	\$/Acre
CP2540XF	78.0	12.0	54.2	780.07
AG25XF5	75.0	12.4	53.6	749.59
P22A67E	74.1	12.3	54.2	740.97
CP2340XF	74.0	11.9	54.2	740.24
P23A40E	72.7	12.3	54.7	727.48
B224EE	72.7	11.7	54.0	726.93
B244EE	71.9	12.2	54.3	718.79
AG24XF1	71.0	12.3	54.6	710.28
NK23-D7E3	69.9	11.7	53.4	699.17
B243EE	69.3	11.9	55.1	693.31
P25A16E	69.1	11.6	54.3	691.28
NK26-M6E3	68.9	12.1	54.9	688.52
CP2322E	68.6	12.2	53.4	685.53
NK23-P1E3	67.6	12.7	54.0	675.84
XO2305E	67.5	11.9	54.4	675.43
CP2230E	66.2	12.2	54.1	662.40
CP2520E	65.3	12.0	54.4	653.17
AG24XF4	61.4	12.0	54.1	613.37
XO2625E	53.1	12.3	54.1	531.50
XO2735E	51.4	12.4	53.9	513.86
Mn	68.7	12.1	54.5	687.33
CVErr	7.843	2.111	5.337	7.839
LSD(.10)	9.1	0.4	4.9	91.45
#Reps	2	2	2	2

\$/Acre Assumptions = \$10.00/Bushel Selling Price



Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2024 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.