

# Answer Plot<sup>®</sup>

## CORN YIELD REPORT 2024



10/24/2024

Location:Manitowoc-WI

Trial: CPT-090

PLDATE: 5/15/2024

HDATE: 10/23/2024

Irrigation: NO

| Hybrid                | Yield        | Moisture | TWT Mn | \$/Acre |
|-----------------------|--------------|----------|--------|---------|
| <b>DKC39-55RIB</b>    | <b>289.2</b> | 16.8     | 58.5   | 963.90  |
| <b>DKC092-14RIB</b>   | <b>292.6</b> | 17.8     | 57.8   | 958.68  |
| <b>NK9231-AA</b>      | <b>294.6</b> | 19.7     | 56.0   | 936.13  |
| <b>DKC092-13RIB</b>   | <b>287.5</b> | 18.4     | 57.7   | 934.50  |
| <b>B93V26AM</b>       | <b>283.0</b> | 19.9     | 55.3   | 896.81  |
| <b>CP3490VT2P/RIB</b> | <b>276.8</b> | 19.4     | 57.1   | 884.43  |
| <b>NK9044-AA</b>      | <b>263.2</b> | 17.5     | 59.2   | 867.25  |
| <b>B92W94AM</b>       | <b>269.6</b> | 19.5     | 56.5   | 859.80  |
| <b>P9193AM</b>        | <b>257.1</b> | 16.7     | 59.3   | 858.09  |
| <b>CP3330VT2P/RIB</b> | <b>269.8</b> | 19.8     | 56.6   | 855.46  |
| <b>CP2965VT2P/RIB</b> | <b>250.5</b> | 16.2     | 59.1   | 842.82  |
| <b>CP3314VT2P/RIB</b> | <b>257.9</b> | 18.5     | 57.4   | 837.08  |
| <b>B89A44PCE</b>      | <b>246.8</b> | 15.7     | 58.1   | 834.41  |
| <b>DKC41-55RIB</b>    | <b>243.1</b> | 16.1     | 60.6   | 819.68  |
| <b>CP2845VT2P/RIB</b> | <b>240.8</b> | 15.8     | 58.7   | 815.63  |
| <b>CP3143VT2P/RIB</b> | <b>251.9</b> | 18.7     | 57.3   | 814.27  |
| <b>B92D25Q</b>        | <b>242.8</b> | 16.7     | 58.3   | 811.68  |
| <b>B91K05Q</b>        | <b>235.7</b> | 17.3     | 57.0   | 780.10  |
| <b>DKC42-65RIB</b>    | <b>232.8</b> | 16.7     | 58.1   | 777.48  |
| <b>CP3337VT2P/RIB</b> | <b>235.4</b> | 18.2     | 57.7   | 768.35  |
| <b>CP3166VT2P/RIB</b> | <b>237.5</b> | 18.7     | 56.2   | 768.09  |
| <b>NK9021-D</b>       | <b>232.9</b> | 17.6     | 58.7   | 766.66  |
| <b>CP2845SS/RIB</b>   | <b>226.3</b> | 15.9     | 59.9   | 762.19  |
| <b>B91W35AM</b>       | <b>236.0</b> | 18.9     | 57.3   | 760.49  |
| <b>NK9175-DV</b>      | <b>224.0</b> | 19.3     | 58.7   | 717.50  |
| <b>P8736AM</b>        | <b>205.9</b> | 15.5     | 58.6   | 698.53  |
| <b>Mn</b>             | <b>252.9</b> | 17.5     | 58.0   | 832.84  |
| <b>LSD(.10)</b>       | <b>19.0</b>  | 1.7      | 1.4    | 60.65   |
| <b>#Reps</b>          | <b>2</b>     | 2        | 2      | 2       |
| <b>CVErr</b>          | <b>4.445</b> | 5.889    | 1.390  | 4.313   |

\$/Acre Assumptions = \$3.40/Bushel Selling Price and \$0.05/Point of Moisture over 15.5%.

**WINFIELD  
UNITED**

**CROPLAN**

Learn more about our brands at  
[winfieldunited.com](http://winfieldunited.com)

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2024 WinField United. Answer Plot<sup>®</sup>, CROPLAN<sup>®</sup> and WinField<sup>®</sup> are trademarks of WinField United.

# Answer Plot<sup>®</sup>

## CORN YIELD REPORT 2024



10/24/2024

Location:Manitowoc-WI

Trial: CPT-095

PLDATE: 5/15/2024

HDATE: 10/23/2024

Irrigation: NO

| Hybrid                 | Yield        | Moisture | TWT Mn | \$/Acre |
|------------------------|--------------|----------|--------|---------|
| <b>NK9231-AA</b>       | <b>300.6</b> | 20.3     | 56.0   | 945.79  |
| <b>CP3790VT2P/RIB</b>  | <b>294.1</b> | 21.8     | 55.4   | 899.30  |
| <b>CP3399SS/RIB</b>    | <b>278.0</b> | 18.7     | 58.1   | 898.56  |
| <b>CP3724VT2P/RIB</b>  | <b>284.7</b> | 20.5     | 55.7   | 891.86  |
| <b>CP3735SS/RIB</b>    | <b>273.3</b> | 18.1     | 58.7   | 891.67  |
| <b>CP3330VT2P/RIB</b>  | <b>287.5</b> | 21.3     | 55.5   | 887.97  |
| <b>DKC093-76RIB</b>    | <b>273.5</b> | 18.6     | 56.8   | 885.59  |
| <b>DKC096-21RIB</b>    | <b>284.3</b> | 20.9     | 56.0   | 884.13  |
| <b>CP3490VT2P/RIB</b>  | <b>281.6</b> | 20.5     | 56.0   | 882.68  |
| <b>CP3899VT2P/RIB</b>  | <b>280.2</b> | 20.5     | 56.2   | 879.39  |
| <b>DKC098-88RIB</b>    | <b>275.3</b> | 20.3     | 56.2   | 866.59  |
| <b>NK9832-AA</b>       | <b>279.5</b> | 21.3     | 55.9   | 863.17  |
| <b>DKC093-05RIB</b>    | <b>275.7</b> | 21.0     | 55.6   | 856.67  |
| <b>DKC095-57RIB</b>    | <b>274.5</b> | 20.8     | 54.7   | 855.24  |
| <b>NK9771-DV</b>       | <b>264.9</b> | 19.1     | 58.0   | 850.98  |
| <b>B95J39AM</b>        | <b>266.1</b> | 19.8     | 56.1   | 844.79  |
| <b>CP3519SS/RIB</b>    | <b>273.2</b> | 21.3     | 57.0   | 844.35  |
| <b>DKC47-85RIB</b>     | <b>265.1</b> | 19.7     | 55.9   | 843.03  |
| <b>NK9805-DV</b>       | <b>261.4</b> | 19.1     | 56.7   | 840.12  |
| <b>CP3575VT2P/RIB</b>  | <b>256.8</b> | 18.2     | 58.0   | 837.61  |
| <b>P96760AM</b>        | <b>268.1</b> | 20.9     | 55.4   | 834.63  |
| <b>P9624Q</b>          | <b>259.4</b> | 19.7     | 55.2   | 824.94  |
| <b>NK9400-V</b>        | <b>254.9</b> | 19.2     | 57.4   | 817.15  |
| <b>DKC099-11RIB</b>    | <b>264.1</b> | 21.3     | 54.8   | 816.25  |
| <b>CP3715SSPRO/RIB</b> | <b>259.1</b> | 20.9     | 55.8   | 805.34  |
| <b>B97K12Q</b>         | <b>253.4</b> | 20.0     | 57.0   | 799.72  |
| <b>B98Z37PCE</b>       | <b>254.5</b> | 22.1     | 54.3   | 774.41  |
| <b>P97299Q</b>         | <b>253.1</b> | 22.3     | 54.5   | 766.63  |
| <b>B95R21V</b>         | <b>232.6</b> | 23.7     | 53.4   | 685.16  |
| <b>B96Y34V</b>         | <b>178.4</b> | 21.0     | 54.2   | 554.43  |
| <b>Mn</b>              | <b>267.8</b> | 20.5     | 55.9   | 839.35  |
| <b>LSD(.10)</b>        | <b>20.4</b>  | 1.4      | 1.2    | 67.35   |
| <b>#Reps</b>           | <b>3</b>     | 3        | 3      | 3       |
| <b>CVErr</b>           | <b>5.619</b> | 5.195    | 1.525  | 5.905   |

\$/Acre Assumptions = \$3.40/Bushel Selling Price and \$0.05/Point of Moisture over 15.5%.

**WINFIELD  
UNITED**

**CROPLAN**

Learn more about our brands at  
[winfieldunited.com](http://winfieldunited.com)

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2024 WinField United. Answer Plot<sup>®</sup>, CROPLAN<sup>®</sup> and WinField<sup>®</sup> are trademarks of WinField United.

# Answer Plot<sup>®</sup>

## CORN YIELD REPORT 2024



10/24/2024

Location:Manitowoc-WI

Trial: CPT-100

PLDATE: 5/15/2024

HDATE: 10/23/2024

Irrigation: NO

| Hybrid                 | Yield        | Moisture | TWT Mn | \$/Acre |
|------------------------|--------------|----------|--------|---------|
| <b>CP3980VT2P/RIB</b>  | <b>306.8</b> | 22.0     | 55.4   | 935.72  |
| <b>DKC103-07RIB</b>    | <b>298.7</b> | 22.9     | 55.9   | 893.87  |
| <b>CP3899VT2P/RIB</b>  | <b>300.0</b> | 23.2     | 54.4   | 891.66  |
| <b>B03H35AM</b>        | <b>298.1</b> | 23.2     | 55.1   | 887.72  |
| <b>CP3790VT2P/RIB</b>  | <b>297.3</b> | 23.1     | 54.5   | 886.73  |
| <b>DKC48-34RIB</b>     | <b>299.9</b> | 23.8     | 53.8   | 882.88  |
| <b>CP3724VT2P/RIB</b>  | <b>298.2</b> | 23.5     | 53.2   | 880.26  |
| <b>P9955Q</b>          | <b>294.4</b> | 22.9     | 55.1   | 879.53  |
| <b>B01V22AM</b>        | <b>302.3</b> | 24.9     | 52.3   | 868.31  |
| <b>DKC101-35RIB</b>    | <b>298.7</b> | 25.1     | 51.8   | 853.44  |
| <b>B99A24V</b>         | <b>294.6</b> | 24.7     | 53.0   | 850.07  |
| <b>CP3852TRE/RIB</b>   | <b>281.8</b> | 22.8     | 53.9   | 844.65  |
| <b>NK9805-DV</b>       | <b>266.7</b> | 20.0     | 55.7   | 843.51  |
| <b>NK0007-AA</b>       | <b>273.6</b> | 22.0     | 56.1   | 833.22  |
| <b>CP4444VT2P/RIB</b>  | <b>292.3</b> | 25.4     | 53.4   | 830.27  |
| <b>NK0367-AA</b>       | <b>293.0</b> | 25.5     | 53.5   | 827.90  |
| <b>DKC102-13RIB</b>    | <b>291.2</b> | 25.4     | 53.9   | 827.54  |
| <b>B01X44V</b>         | <b>277.3</b> | 23.1     | 55.2   | 826.69  |
| <b>CP4246SS/RIB</b>    | <b>281.9</b> | 23.9     | 54.8   | 826.68  |
| <b>DKC102-28RIB</b>    | <b>294.7</b> | 26.0     | 53.0   | 825.17  |
| <b>CP4188VT2P/RIB</b>  | <b>280.9</b> | 24.1     | 53.4   | 820.81  |
| <b>CP4024SSPRO/RIB</b> | <b>284.3</b> | 24.8     | 53.2   | 817.64  |
| <b>NK0252-D</b>        | <b>280.4</b> | 24.4     | 53.7   | 814.62  |
| <b>B00M18Q</b>         | <b>278.7</b> | 24.7     | 53.6   | 804.48  |
| <b>CP4083VT4P/RIB</b>  | <b>273.4</b> | 23.9     | 53.1   | 802.98  |
| <b>CP4188SS/RIB</b>    | <b>268.1</b> | 22.9     | 53.8   | 798.17  |
| <b>B98Z37PCE</b>       | <b>264.6</b> | 22.8     | 53.6   | 793.46  |
| <b>P97299Q</b>         | <b>263.9</b> | 23.2     | 54.0   | 785.59  |
| <b>DKC103-47RIB</b>    | <b>277.8</b> | 25.9     | 54.2   | 778.06  |
| <b>NK0295-AA</b>       | <b>234.6</b> | 20.8     | 55.5   | 731.09  |
| <b>NK0123-AA</b>       | <b>255.1</b> | 25.0     | 54.4   | 728.62  |
| <b>Mn</b>              | <b>284.4</b> | 23.8     | 53.9   | 835.09  |
| <b>LSD(.10)</b>        | <b>18.6</b>  | 2.0      | 1.3    | 60.16   |
| <b>#Reps</b>           | <b>3</b>     | 3        | 3      | 3       |
| <b>CVErr</b>           | <b>4.807</b> | 6.245    | 1.711  | 5.302   |

\$/Acre Assumptions = \$3.40/Bushel Selling Price and \$0.05/Point of Moisture over 15.5%.

**WINFIELD  
UNITED**

**CROPLAN**

Learn more about our brands at  
[winfieldunited.com](http://winfieldunited.com)

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2024 WinField United. Answer Plot<sup>®</sup>, CROPLAN<sup>®</sup> and WinField<sup>®</sup> are trademarks of WinField United.

# Answer Plot®

## SOYBEAN YIELD REPORT 2024



10/11/2024  
PLDATE: 5/15/2024

Location: Manitowoc-WI  
HDATE: 10/9/2024

Trial: SPT-12  
Irrigation: NO

| Variety          | BU/ACRE Mn | Moisture | TWT   | \$/Acre |
|------------------|------------|----------|-------|---------|
| <b>P11T36E</b>   | 77.7       | 9.3      | 55.6  | 777.30  |
| <b>NK14-U5E3</b> | 76.3       | 9.5      | 57.0  | 762.90  |
| <b>A15E33</b>    | 72.2       | 9.2      | 55.1  | 722.44  |
| <b>XO1372E</b>   | 72.1       | 9.3      | 56.8  | 721.36  |
| <b>CP1125E</b>   | 69.1       | 9.5      | 54.8  | 690.81  |
| <b>NK11-U2XF</b> | 69.0       | 9.2      | 55.5  | 689.65  |
| <b>B134EE</b>    | 68.9       | 8.8      | 54.5  | 688.61  |
| <b>NK11-A4E3</b> | 68.4       | 9.1      | 53.4  | 684.18  |
| <b>CP1430E</b>   | 67.6       | 9.6      | 56.2  | 676.05  |
| <b>CP1240XF</b>  | 66.9       | 9.3      | 55.3  | 668.94  |
| <b>CP1425E</b>   | 66.9       | 9.5      | 56.3  | 668.72  |
| <b>B144EE</b>    | 66.7       | 9.0      | 54.7  | 667.31  |
| <b>AG14XF4</b>   | 63.6       | 9.6      | 55.8  | 635.60  |
| <b>P13T47E</b>   | 61.6       | 9.2      | 55.8  | 615.68  |
| <b>AG12XF5</b>   | 61.5       | 9.3      | 55.8  | 614.93  |
| <b>B114EE</b>    | 61.5       | 9.2      | 54.6  | 614.75  |
| <b>XO1095E</b>   | 60.9       | 9.4      | 55.8  | 608.64  |
| <b>XO1225E</b>   | 59.5       | 9.5      | 56.7  | 594.60  |
| <b>CP1130E</b>   | 57.5       | 9.0      | 52.7  | 575.46  |
| <b>Mn</b>        | 64.7       | 9.3      | 55.4  | 646.64  |
| <b>CVErr</b>     | 7.088      | 2.836    | 1.679 | 7.092   |
| <b>LSD(.10)</b>  | 7.8        | 0.4      | 1.6   | 77.83   |
| <b>#Reps</b>     | 2          | 2        | 2     | 2       |

\$/Acre Assumptions = \$10.00/Bushel Selling Price

**WINFIELD  
UNITED**

**CROPLAN**

Learn more about our brands at  
[winfieldunited.com](http://winfieldunited.com)

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2024 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.

# Answer Plot®

## SOYBEAN YIELD REPORT 2024



10/11/2024  
PLDATE: 5/15/2024

Location: Manitowoc-WI  
HDATE: 10/9/2024

Trial: SPT-16  
Irrigation: NO

| Variety           | BU/ACRE Mn | Moisture | TWT   | \$/Acre |
|-------------------|------------|----------|-------|---------|
| <b>NK18-R4E3</b>  | 78.0       | 9.7      | 56.3  | 779.86  |
| <b>P16T05E</b>    | 76.5       | 9.4      | 55.5  | 765.23  |
| <b>NK16-Z6E3</b>  | 76.0       | 9.5      | 55.2  | 759.77  |
| <b>NK15-G9E3S</b> | 75.2       | 9.4      | 56.3  | 751.52  |
| <b>XO1545E</b>    | 75.2       | 9.7      | 56.5  | 752.03  |
| <b>P14A12E</b>    | 73.4       | 9.5      | 55.9  | 734.30  |
| <b>CP1525E</b>    | 72.8       | 9.4      | 56.6  | 728.27  |
| <b>B144EE</b>     | 72.6       | 9.3      | 55.9  | 726.23  |
| <b>CP1623E</b>    | 72.1       | 10.2     | 55.8  | 720.66  |
| <b>AG18XF1</b>    | 71.4       | 9.7      | 55.6  | 713.76  |
| <b>XO1632E</b>    | 71.2       | 9.6      | 56.1  | 711.94  |
| <b>CP1540XF</b>   | 71.1       | 9.9      | 57.3  | 710.88  |
| <b>B152EE</b>     | 70.3       | 9.3      | 54.8  | 702.71  |
| <b>CP1430E</b>    | 68.3       | 9.9      | 55.8  | 683.40  |
| <b>XO1822E</b>    | 68.3       | 9.7      | 56.6  | 682.61  |
| <b>CP1620E</b>    | 67.8       | 9.7      | 55.0  | 678.27  |
| <b>CP1721E</b>    | 66.5       | 9.7      | 56.2  | 665.25  |
| <b>CP1425E</b>    | 66.3       | 9.6      | 56.9  | 663.04  |
| <b>AG17XF5</b>    | 65.5       | 9.0      | 54.3  | 654.59  |
| <b>AG16XF5</b>    | 65.1       | 9.6      | 56.6  | 650.51  |
| <b>B163EE</b>     | 63.5       | 9.6      | 56.3  | 635.10  |
| <b>CP1742XF</b>   | 60.1       | 9.5      | 53.9  | 600.67  |
| <b>P17A87E</b>    | 59.6       | 9.8      | 55.6  | 595.66  |
| <b>Mn</b>         | 70.3       | 9.6      | 55.8  | 703.31  |
| <b>CVErr</b>      | 7.406      | 3.152    | 1.673 | 7.403   |
| <b>LSD(.10)</b>   | 8.8        | 0.5      | 1.6   | 88.37   |
| <b>#Reps</b>      | 2          | 2        | 2     | 2       |

\$/Acre Assumptions = \$10.00/Bushel Selling Price

**WINFIELD**  
**UNITED**

**CROPLAN**

Learn more about our brands at  
[winfieldunited.com](http://winfieldunited.com)

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2024 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.

# Answer Plot®

## SOYBEAN YIELD REPORT 2024



10/11/2024  
PLDATE: 5/15/2024

Location: Manitowoc-WI  
HDATE: 10/9/2024

Trial: SPT-20  
Irrigation: NO

| Variety           | BU/ACRE Mn | Moisture | TWT   | \$/Acre |
|-------------------|------------|----------|-------|---------|
| <b>CP1830E</b>    | 85.8       | 9.7      | 55.7  | 858.24  |
| <b>NK21-C2E3</b>  | 83.8       | 9.4      | 56.5  | 838.14  |
| <b>CP1721E</b>    | 82.0       | 9.5      | 55.8  | 820.31  |
| <b>CP2054XF</b>   | 81.2       | 10.0     | 57.9  | 811.83  |
| <b>NK18-R4E3</b>  | 80.0       | 9.6      | 56.3  | 799.75  |
| <b>CP2024E</b>    | 78.7       | 9.4      | 56.0  | 786.98  |
| <b>NK19-T8E3S</b> | 78.6       | 9.2      | 56.1  | 786.47  |
| <b>XO2444E</b>    | 78.6       | 9.7      | 57.4  | 786.31  |
| <b>P21A53E</b>    | 75.4       | 9.5      | 55.5  | 754.38  |
| <b>XO2181E</b>    | 75.2       | 9.4      | 55.4  | 752.02  |
| <b>XO2305E</b>    | 74.2       | 10.3     | 54.8  | 741.69  |
| <b>A21E34</b>     | 73.2       | 10.0     | 54.3  | 731.95  |
| <b>P19A66E</b>    | 72.3       | 9.5      | 55.5  | 722.83  |
| <b>B194EE</b>     | 70.4       | 9.8      | 55.9  | 704.46  |
| <b>CP2020E</b>    | 70.0       | 9.6      | 54.5  | 700.06  |
| <b>AG19XF3</b>    | 68.5       | 9.8      | 55.0  | 684.90  |
| <b>B202EE</b>     | 67.7       | 9.9      | 55.1  | 676.72  |
| <b>B204EE</b>     | 67.2       | 10.0     | 55.5  | 671.65  |
| <b>CP1825E</b>    | 66.0       | 9.6      | 56.0  | 660.24  |
| <b>P18A73E</b>    | 65.0       | 10.5     | 53.1  | 649.65  |
| <b>CP1840XF</b>   | 58.9       | 10.3     | 57.0  | 589.31  |
| <b>CP1742XF</b>   | 56.5       | 10.1     | 54.0  | 565.33  |
| <b>AG22XF5</b>    | 52.9       | 9.4      | 50.9  | 528.61  |
| <b>Mn</b>         | 73.2       | 9.8      | 55.5  | 732.00  |
| <b>CVErr</b>      | 8.946      | 5.237    | 2.417 | 8.946   |
| <b>LSD(.10)</b>   | 11.1       | 0.9      | 2.3   | 111.15  |
| <b>#Reps</b>      | 2          | 2        | 2     | 2       |

\$/Acre Assumptions = \$10.00/Bushel Selling Price

**WINFIELD**  
**UNITED**

**CROPLAN**

Learn more about our brands at  
[winfieldunited.com](https://winfieldunited.com)

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2024 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.